

TAPE AND REEL INFORMATION



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Reel Diameter (mm)	Reel Width W1 (mm)	A0 (mm)	B0 (mm)	K0 (mm)	P1 (mm)	W (mm)	Pin1 Quadrant
LM26LVCISD-050/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-065/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-070/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-075/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-080/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-085/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-090/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-095/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-100/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-105/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-110/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-115/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-125/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-135/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-140/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISD-145/NOPB	WSO	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1

Device	Package Type	Package Drawing	Pins	SPQ	Reel Diameter (mm)	Reel Width W1 (mm)	A0 (mm)	B0 (mm)	K0 (mm)	P1 (mm)	W (mm)	Pin1 Quadrant
LM26LVCISD-150/NOPB	WS0N	NGF	6	1000	177.8	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISDX-060/NOPB	WS0N	NGF	6	4500	330.0	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVCISDX-120/NOPB	WS0N	NGF	6	4500	330.0	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVQISDX-130/NOPB	WS0N	NGF	6	4500	330.0	12.4	2.8	2.5	1.0	8.0	12.0	Q1
LM26LVQISDX-135/NOPB	WS0N	NGF	6	4500	330.0	12.4	2.8	2.5	1.0	8.0	12.0	Q1

TAPE AND REEL BOX DIMENSIONS



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Length (mm)	Width (mm)	Height (mm)
LM26LVCISD-050/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-065/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-070/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-075/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-080/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-085/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-090/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-095/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-100/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-105/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-110/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-115/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-125/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-135/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-140/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-145/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISD-150/NOPB	WSN	NGF	6	1000	210.0	185.0	35.0
LM26LVCISDX-060/NOPB	WSN	NGF	6	4500	367.0	367.0	35.0

Device	Package Type	Package Drawing	Pins	SPQ	Length (mm)	Width (mm)	Height (mm)
LM26LVCISDX-120/NOPB	WSO	NGF	6	4500	367.0	367.0	35.0
LM26LVQISDX-130/NOPB	WSO	NGF	6	4500	367.0	367.0	35.0
LM26LVQISDX-135/NOPB	WSO	NGF	6	4500	367.0	367.0	35.0