

TAPE AND REEL INFORMATION


*All dimensions are nominal


Device	Package Type	Package Drawing	Pins	SPQ	Reel Diameter (mm)	Reel Width W1 (mm)	A0 (mm)	B0 (mm)	K0 (mm)	P1 (mm)	W (mm)	Pin1 Quadrant
LMR23630AFQDDARQ1	SO PowerPAD	DDA	8	2500	330.0	12.8	6.4	5.2	2.1	8.0	12.0	Q1
LMR23630APQDRRRQ1	WSO	DRR	12	3000	330.0	12.4	3.3	3.3	1.0	8.0	12.0	Q2
LMR23630APQDRRTQ1	WSO	DRR	12	250	180.0	12.4	3.3	3.3	1.0	8.0	12.0	Q2
LMR23630FQDRRRQ1	WSO	DRR	12	3000	330.0	12.4	3.3	3.3	1.0	8.0	12.0	Q2
LMR23630FQDRRTQ1	WSO	DRR	12	250	180.0	12.4	3.3	3.3	1.0	8.0	12.0	Q2
LMR23630QDRRRQ1	WSO	DRR	12	3000	330.0	12.4	3.3	3.3	1.0	8.0	12.0	Q2
LMR23630QDRRTQ1	WSO	DRR	12	250	180.0	12.4	3.3	3.3	1.0	8.0	12.0	Q2

TAPE AND REEL BOX DIMENSIONS



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Length (mm)	Width (mm)	Height (mm)
LMR23630AFQDDARQ1	SO PowerPAD	DDA	8	2500	366.0	364.0	50.0
LMR23630APQDRRRQ1	WSO	DRR	12	3000	367.0	367.0	38.0
LMR23630APQDRRTQ1	WSO	DRR	12	250	213.0	191.0	35.0
LMR23630FQDRRRQ1	WSO	DRR	12	3000	367.0	367.0	38.0
LMR23630FQDRRTQ1	WSO	DRR	12	250	213.0	191.0	35.0
LMR23630QDRRRQ1	WSO	DRR	12	3000	367.0	367.0	38.0
LMR23630QDRRTQ1	WSO	DRR	12	250	213.0	191.0	35.0

TUBE


*All dimensions are nominal

Device	Package Name	Package Type	Pins	SPQ	L (mm)	W (mm)	T (μm)	B (mm)
LMR23630AFQDDAQ1	DDA	HSOIC	8	75	507	8	3940	4.32
LMR23630AFQDDAQ1	DDA	HSOIC	8	75	517	7.87	635	4.25
LMR23630AFQDDAQ1.A	DDA	HSOIC	8	75	507	8	3940	4.32
LMR23630AFQDDAQ1.A	DDA	HSOIC	8	75	517	7.87	635	4.25
LMR23630AFQDDAQ1.B	DDA	HSOIC	8	75	507	8	3940	4.32
LMR23630AFQDDAQ1.B	DDA	HSOIC	8	75	517	7.87	635	4.25
LMR23630AQDDAQ1	DDA	HSOIC	8	75	517	7.87	635	4.25
LMR23630AQDDAQ1	DDA	HSOIC	8	75	507	8	3940	4.32
LMR23630AQDDAQ1.A	DDA	HSOIC	8	75	517	7.87	635	4.25
LMR23630AQDDAQ1.A	DDA	HSOIC	8	75	507	8	3940	4.32
LMR23630AQDDAQ1.B	DDA	HSOIC	8	75	517	7.87	635	4.25
LMR23630AQDDAQ1.B	DDA	HSOIC	8	75	507	8	3940	4.32