

TAPE AND REEL INFORMATION



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Reel Diameter (mm)	Reel Width W1 (mm)	A0 (mm)	B0 (mm)	K0 (mm)	P1 (mm)	W (mm)	Pin1 Quadrant
MUX508IPWR	TSSOP	PW	16	2000	330.0	12.4	6.9	5.6	1.6	8.0	12.0	Q1
MUX508IPWRG4	TSSOP	PW	16	2000	330.0	12.4	6.9	5.6	1.6	8.0	12.0	Q1
MUX509IPWR	TSSOP	PW	16	2000	330.0	12.4	6.9	5.6	1.6	8.0	12.0	Q1
MUX509IPWRG4	TSSOP	PW	16	2000	330.0	12.4	6.9	5.6	1.6	8.0	12.0	Q1

TAPE AND REEL BOX DIMENSIONS



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Length (mm)	Width (mm)	Height (mm)
MUX508IPWR	TSSOP	PW	16	2000	353.0	353.0	32.0
MUX508IPWRG4	TSSOP	PW	16	2000	353.0	353.0	32.0
MUX509IPWR	TSSOP	PW	16	2000	353.0	353.0	32.0
MUX509IPWRG4	TSSOP	PW	16	2000	353.0	353.0	32.0

TUBE


*All dimensions are nominal

Device	Package Name	Package Type	Pins	SPQ	L (mm)	W (mm)	T (μm)	B (mm)
MUX508ID	D	SOIC	16	40	507	8	3940	4.32
MUX508ID	D	SOIC	16	40	517	7.87	635	4.25
MUX508ID.B	D	SOIC	16	40	517	7.87	635	4.25
MUX508ID.B	D	SOIC	16	40	507	8	3940	4.32
MUX508IPW	PW	TSSOP	16	90	530	10.2	3600	3.5
MUX508IPW.B	PW	TSSOP	16	90	530	10.2	3600	3.5
MUX509ID	D	SOIC	16	40	507	8	3940	4.32
MUX509ID	D	SOIC	16	40	517	7.87	635	4.25
MUX509ID.B	D	SOIC	16	40	507	8	3940	4.32
MUX509ID.B	D	SOIC	16	40	517	7.87	635	4.25
MUX509IPW	PW	TSSOP	16	90	530	10.2	3600	3.5
MUX509IPW.B	PW	TSSOP	16	90	530	10.2	3600	3.5